

20th meeting of LDAC

Working Group 1 - Highly Migratory Stocks and Tuna RFMOs 6 April 2017, Brussels

Review of the current state of FAD fisheries

JOSU SANTIAGO

AZTI. Tuna Research Area



- 7. FADs management for tropical tuna purse seine fisheries
 7.1. Review of knowledge and work progress by RFMOs
 a. Science perspective
- 8. Information on tropical tuna tagging programmes (YFT and BET) in the Atlantic and Pacific Ocean.



WCPFC

Review of the current state of FAD fisheries


Index

- 1. Catch of tropical tunas
- 2. Purse seine catch and effort by RFMO
- 3. Tropical tuna stock status
- 4. FAD management measures

IOTC




1. Catch of tropical tunas







Reported catches of Tropical Tunas




Year






Year






Reported catches of Tropical Tunas




6




Reported catches of Tropical Tunas: PS





by set type




Yellowfin tuna Skipjack tuna 3M Bigeve tuna 2015 catches SKJ 68.7% 2.5M 25.7% YFT M2 Catch (t) 5.6% BET 1M 0.5M 0 1950 1960 1970 1990 2000 1980 2010


by species

Year





PS-Reported catches by species: SKJ






Year by country / all gears










PS-Reported catches by species: YFT








by country / all gears






PS-Reported catches by species: BET





Year



Year


by country / all gears








2. Purse seine catch and effort by RFMO







PS-Reported catches and effort by RFMO: IATTC



Year


by set type





Year


Number of sets




Extracted from public IATTC Data Base:Tuna EPO purse seine catch and effort aggregated by year, month, flag or set type, 1° x1 [https://www.iattc.org/Catchbygear/PublicPSTuna.zip]




PS-Reported catches and effort by RFMO: ICCAT




Year





Year

Number of sets




Floch, L. et al., 2016. Statistics of the French purse seine fishing fleet targeting tropical tunas in the Atlantic Ocean (1962-2015). SCRS/2016/159


Delgado de Molina, A. et al., 2015. Estadísticas españolas de la pesquería atunera tropical, en el Océano Atlántico, hasta 2014. SCRS/2015/131




PS-Reported catches and effort by RFMO: IOTC




Year





Year


Number of sets




Chassot, E. et al., 2015. Statistics of the European Union and associated flags purse seine fishing fleet targeting tropical tunas in the Indian Ocean 1981-2014. IOTC-2015-WPTT17-12




PS-Reported catches and effort by RFMO: WCPFC



Year




Catch (t)



Year

Number of sets




Williams P. and P. Terawasi, 2016. Overview of tuna fisheries in the Western and Central Pacific Ocean, including economic conditions. GN-WP-01. [https://www.wcpfc.int/node/27480]

Table A14. Purse seine tuna effort by set type in the WCPFC Convention Area between 20° N and 20° S, excluding domestic purse seine effort in Philippines, Indonesia and Vietnam




PS-Recent trends in storage capacity and % FAD sets by RFMO





3. Tropical tuna stock status





Different modelling approaches

	Bigeye tuna	Skipjack tuna	Yellowfin tuna
AO	ASPIC, SS3	ASPIC, BSP, Catch-only model	ASPIC, ASPM, SS3, VPA
EPO	SS3	Indicators	SS3
IO	SS3	SS3	SS3
WPO	Multifan CL	Multifan CL	Multifan CL

Different biological parameters – NATURAL MORTALITY

	Bigeye tuna	Skipjack tuna	Yellowfin tuna
AO	0.8 for ages 0 and 1, and 0.4 for ages 2+	M vector decreasing with size (Gaertner, 2014)	0.8 for ages 0 and 1, and 0.6 for ages 2+
EPO	M vector varies with size and sex: Q1-Q4: 0.25 -0.20-0.17-0.13 / FEMALE: >Q4: 0.10 / MALE: Q4-Q15: 0.10; Q16-Q16: 0.11; Q19-Q21: 0.12; Q22-Q24: 0.13; >Q24: 0.14	•	M vector varies with size and sex: Q1-Q9: 0.70 -0.60-0.50-0.44-0.38-0.32-0.26-0.20- 0.20 / FEMALE: >Q10: 0.23 / MALE: Q10- Q15:0.21- 0.26- 0.32 - 0.38- 0.42- 0.44- 0.46 (2)- 0.47 (6)- 0.48 (4); >Q23: 0.48
ю	Two alternatives: High M for the younger ages and about 0.1 per quarter for the adult age classes / Lower M based on a Lorenz curve with a lower M for the adult ages (0.0625 per quarter)	M grid (0.7, 0.8 and 0.9)	Age-specific. Relative variation amongst ages based on WCPO YFT assessment and overall scale of natural mortality estimated in 2012 IO YFT assessment
WPO	M vector varies with size, with the lower rates of around 0.5 yr-1 for bigeye >40 cm FL	M is substantially larger for small SKJ (21–30 cm FL, M=0.8 mo-1) compared to larger SKJ (51–70 cm FL, M=0.12–0.15 mo-1)	M strongly variable with size, with the lowest rate of around 0.6-0.8 yr-1, being for preadult yellowfin 50-80 cm FL



Different biological parameters – MATURITY


	Bigeye tuna	Skipjack tuna	Yellowfin tuna
AO	100-110 cm - 3 year old	Depending on the areas, between 42 and 50 cm	100 cm - 3 year old
EPO	5 year old (Q17) 50% mature	40-42 cm	70-80 cm
ю	100 cm - 3 year old	41–43 cm <2 year old	60-70 cm
WPO	100 cm FL [100% of individuals >120 cm FL are reproductively mature]	Around 40 cm FL	100 cm - 2 year old

Different biological parameters – STEEPNESS

	Bigeye tuna	Skipjack tuna	Yellowfin tuna
AO	0.7 - 0.8 - 0.9	-	0.9
EPO	1	-	1
ю	0.7 - 0.8 - 0.9	0.7 - 0.8 - 0.9	0.8
WPO	0.8	0.8	0.8




Kobe plot











2015 TT CATCHES = 4.5 10⁶ MT






2015 TT CATCHES = 4.5 10⁶ MT





4. FAD management measures




FAD management measures



+ Measures implemented

_

Measures not implemented





Tropical Tuna app

